



MANTA

Soundbar

MM290



Instrukcja obsługi
User's Manual



Instrukcja obsługi

SCHEMAT	3
AUX1	4
AUX2	5
INSTRUKCJA MONTAŻU UCHWYTU ŚCIENNEGO	6

User's Manual

SCHEMAT	7
AUX1	8
AUX2	9
WALL MOUNTED	10

Schemet



1 Wskaźnik głośności

Wyświetla aktualną głośność od 0 do 30.

2. Przycisk zasilania ON / OFF

Naciśnij przycisk aby włączyć Soundbar

3. Przycisk wyboru wejścia

Naciśnij przycisk, aby zmienić wejście pomiędzy RCA i wejście


audio 3,5 mm

4. Przycisk wyciszania

Naciśnij przycisk, aby wyciszyć
5. V - Naciśnij przycisk aby zmniejszyć głośność

6. V +

Naciśnij przycisk aby zwiększyć głośność




1. DC IN	Zasilanie
2. AUX 1	Wejście analogowe Jack 3,5mm
3. AUX 2	Wejście analogowe RCA



Aux1

- Podłącz jeden koniec kabla audio do urządzenia.
- Podłącz drugi koniec kabla audio do zestawu SoundBar.
- Włącz zasilanie podłączanego urządzenia i Soundbar.
- Wybierz wejście AUX1 poprzez naciśnięcie „INPUT” na panelu Soundbar lub pilocie.



Aux2



- Wyłącz zasilanie urządzenia i Soundbar.
- Podłącz jeden koniec kabla audio do urządzenia.
- Podłącz drugi koniec kabla audio do zestawu SoundBar.
- Włącz zasilanie podłączonego urządzenia i Soundbar.
- Wybierz wejście AUX2 poprzez naciśnięcie „INPUT” na panelu Soundbar lub pilocie



Instrukcja montażu uchwyty ścienne


- Soundbar może być zainstalowany tylko na pionowej ścianie.
- Unikaj instalacji w miejscach szczególnie narażonych na, np. wysoką temperaturę lub wysoką wilgotność powietrza.
- Sprawdź wytrzymałość ściany, wzmocnij ją jeśli to konieczne,
- Sprawdź materiał z jakiego zrobiona jest ściana, Do montażu użyj odpowiednich śrub zależnie od tego materiału z którego wykonana jest ściana.
- Upewnij się, że wszystkie kable łączące Soundbar z innym urządzeniem są połączone.
- Upewnij się, że Soundbar jest odłączony od zasilania przed montażem aby uniknąć porażenia prądem.
- Zamontuj uchwyt do ściany przy pomocy dwóch śrub (brak w zestawie) (Rys.1)
- Zamontuj Soundbar do odpowiednich gniazd montażowych. Upewnij się, że klip do montażu zjechał na dno szczeliny montażowej (Rys.2)

Scheme



- 1 Volume indicator
Display the current volum
from 0 to 30.
- 2. Power button
Press to turn your soundbar
- 3. Input button
Press to change the input

- 4. Mute button Press to mute
- 5. V -Press to decrease the
volume
- 6. V +Press to increase the
volume



1. DC IN	Plug the power adapter cable into the AC wall outlet
2. AUX 1	Connect to the analog output of an external device jack 3,5mm
3. AUX 2	Connect to the analog output of an external device RCA




Aux1

- Turn off the power of the device and soundbar.
- Connect one end of the audio cable to the device.
- Connect another end of the audio cable to the soundbar.
- Turn on the power of the device and soundbar.
- 5 Select the AUX1 input by pressing " INPUT " on the soundbar or remote contro

MM290

- Note: Aux1 is factory default input.



AUX2

- Turn off the power of the device and soundbar.
- Connect one end of the audio cable to the device.
- Connect another end of the audio cable to the soundbar.
- Turn on the power of the device and soundbar.
- Select the AUX2 input by pressing "INPUT" on the soundbar or remote control



WALL MOUNTED

- Install Metal Mount Base To fix Sound Bar on the wall by using the Metal Mount Base installation Notification
- Only can be installed on vertical wall.
- Avoid installing on such wall, e.g., over heat or high humidity, or cannot hold up the Sound Bar.
- Check the strength of wall, reinforce it if necessary, be sure it can hold up the Sound Bar before installation.
- Check the raw material of wall, need to buy right screws if the wall was made of cement, marble or iron sheet.
- Ensure all cables which connect Sound Bar with other devices are connected.
- Ensure power cord is unplugged or the Sound Bar are turned off before installation to avoid resulting in electric shock.
- Make the Metal Mount Base vertically to the wall, fix it with 2pcs of screws (not provided) Pic.1
- Insert the Sound Bar into the corresponding mount slot. Make sure the mount clip slid to the bottom of the mount slot. This is to ensure the steady installation. Pic.2